

CARVANSONS a world of fragrance

Issue date: 11/07/2015

Version: 4 (11/07/2015)

# SAFETY DATA SHEET

# In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: CHAMPAKA 946/2 \*JASMINYEL9(Contains:HEXYL SALICYLATE, PHENYL ETHYL

ACETATE, benzyl alcohol, linalool)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Carvansons LLP
Company address: Hollins Vale Works

Off Hollins Lane

Road opposite Hollins Bush Pub

Hollins Village Bury BL9 8QG, UK

Contact: Aimi Heywood

E-Mail address: aimi@carvansons.co.uk

**Company phone:** +44 161 766 3768

1.4 Emergency telephone number

**Emergency phone:** +44 161 766 3768

#### Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of

danger:

Skin Corrosion / Irritation Category 2

Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Classification under Directive 1999/45/EC

Hazard symbols: Xi, Irritant.

N, Dangerous for the environment.

**Risk phrases:** R38, Irritating to the skin.

R43, May cause sensitisation by skin contact.





Version: 4 (11/07/2015)

# SAFETY DATA SHEET

### In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

2.2 Label elements

Signal word: Warning

**Hazard statements:** H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains eugenol, geraniol, hexyl cinnamic aldehyde, METHYL CINNAMATE. May

produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:





Issue date: 11/07/2015 Version: 4 (11/07/2015)

# SAFETY DATA SHEET

# In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
linalool	78-70-6	201-134-4		17.62%	Xi ; R38	SCI 2-EDI 2;H315-H319,-
HEXYL SALICYLATE	6259-76-3	228-408-6		13.44%	Xi-N; R38-R43-R50/53	SCI 2-EDI 2-SS 1-EH A1- EH C1;H315-H317-H319- H410,-
benzyl alcohol	100-51-6	202-859-9		7.68%	Xn ; R36-R20/22	ATO 4-ATI 4-EDI 2;H302- H319-H332,-
BENZYL ACETATE	140-11-4	205-399-7		7.36%	-;-	EH C3;H412,-
Methyl Anthranilate	134-20-3	205-132-4		4.40%	Xi ; R36	EDI 2;H319,-
GALAXOLIDE 50 DEP	1222-05-5	214-946-9		1.52%	N; R50/53	EH A1-EH C1;H410,-
hexyl cinnamic aldehyde	101-86-0	202-983-3		0.88%	Xi-N; R38-R43-R50/53	SS 1B-EH A1-EH C2;H317- H400-H411,-
HEXENYL SALICYLATE CIS 3	65405-77-8	265-745-8		0.64%	N ; R50/53	EH A1-EH C1;H410,-
PHENYL ETHYL ACETATE	103-45-7	203-113-5		0.40%	Xi ; R41	EDI 1;H318,-
benzyl benzoate	120-51-4	204-402-9		0.19%	Xn-N; R22-R51/53	ATO 4-EH A1-EH C2; H302-H400-H411,-
eugenol	97-53-0	202-589-1		0.17%	Xi ; R36-R43	EDI 2-SS 1B;H317-H319,-
METHYL CINNAMATE	103-26-4	203-093-8		0.16%	Xi ; R43	SS 1B;H317,-
geraniol	106-24-1	203-377-1		0.11%	Xi ; R38-R41-R43	SCI 2-EDI 1-SS 1;H315- H317-H318,-
Beta-Caryophyllene	87-44-5	201-746-1		0.06%	Xn ; R65	AH 1;H304,-
Ocimenes	13877-91-3	237-641-2		0.02%	Xn ; R65	FL 3-AH 1;H226-H304,-
Myrcene	123-35-3	204-622-5		0.02%	Xn ; R10-R38-R65	FL 3-SCI 2-EDI 2-AH 1; H226-H304-H315-H319,-
limonene	5989-27-5	227-813-5		0.008%	Xn-N; R10-R38-R43-R65- R50/53	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226-H304- H315-H317-H410,-
pinenes	80-56-8	201-291-9		0.008%	Xn ; R10-R38-R43-R65	FL 3-SCI 2-SS 1B-AH 1; H226-H304-H315-H317,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
DEP	84-66-2	201-550-6	38.24%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

# Section 4. First-aid measures

# 4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.





Version: 4 (11/07/2015)

# SAFETY DATA SHEET

### In accordance with REACH Regulation EC No.1907/2006

**Product:** CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.





Version: 4 (11/07/2015)

# SAFETY DATA SHEET

# In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

# Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### Workplace exposure limits:

Ingredient	CAS	EC Description				Reference
DEP	84-66-2	201-550-	Long-term exposure limit (8-hour TWA reference period)	-	5	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	10	UK EH40 Oct 2007

#### 8.2 Exposure Controls

#### **Eve / Skin Protection**

Wear protective gloves/eye protection/face protection

# **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Flash point: > 60 °C

Vapour pressure:

Relative density:

Solubility(ies):

Not determined

Not determined

Not determined

Not determined



Version: 4 (11/07/2015)

# SAFETY DATA SHEET

### In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

# 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: >5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: >5000

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:

Not Available
Not Available

# Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
benzyl alcohol	100-51-6	202-859-9	1620	2500	11	Vapour

Refer to Sections 2 and 3 for additional information.





Version: 4 (11/07/2015)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:**Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:**Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

**14.1 UN number**: UN3082

**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(HEXYL SALICYLATE, GALAXOLIDE 50 DEP)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group:

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

# Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

## Section 16. Other information

Concentration % Limits: EH C2=16.03% EH C3=1.60% SCI 2=32.19% EDI 2=20.72% SS 1=7.44%





Version: 4 (11/07/2015)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

**Total Fractional Values:** EH C2=6.24 EH C3=62.69 SCI 2=3.11 EDI 2=4.83 SS 1=13.44

Key to revisions:

Classification under Regulation (EC) No 1272/2008

# Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATI 4	Acute Toxicity - Inhalation Category 4
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.





Version: 4 (11/07/2015)

# **SAFETY DATA SHEET**

# In accordance with REACH Regulation EC No.1907/2006

Product: CHAMPAKA 946/2 \*JASMINYEL9

Version: 4

P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.